This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims

46. (Currently Amended) A labelled nucleic acid compound having the formula:

wherein

NUC is a nucleic acid compound selected from the group consisting of a nucleoside, a nucleotide, a polynucleotide and analogs thereof;

L is a linkage; wherein if NUC comprises a purine base, the linkage is attached to the 8-position of the purine, if NUC comprises a 7-deazapurine base, the linkage is attached to the 7-position of the 7-deazapurine, and if NUC comprises a pyrimidine base, the linkage is attached to the 5-position of the pyrimidine; and

D is an extended rhodamine dye comprising one of the following structures:

$$R_{11}$$
 R_{10}
 R_{10}

$$R_{11}$$
 R_{10}
 R_{10}

wherein

 R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_9 , R_{10} , R_{11} , and R_{13} when taken alone are <u>each</u> independently selected from the group consisting of –H, alkyl, alkyl independently substituted with one or more Z_1 , heteroalkyl, heteroalkyl independently substituted with one or more Z_1 , aryl independently substituted with one or more Z_1 , heteroaryl, heteroaryl independently

i37574

substituted with one or more Z_1 , arylalkyl, arylalkyl independently substituted with one or more Z_1 , heteroarylalkyl, heteroarylalkyl independently substituted with one or more Z_1 , halogen, – $OS(O)_2OR$, – $S(O)_2OR$, – $S(O)_2R$, – $S(O)_2NR$, – $S(O)_2NR$, – $OP(O)O_2RR$, – $P(O)O_2RR$, –C(O)OR, – NR_2 , – NR_3 , –NC(O)R, –C(O)R, – $C(O)NR_2$, –CN, and –OR, wherein <u>each</u> R is independently selected from the group consisting of –H, alkyl, heteroalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl and linking group; or

Block

 R_1 taken together with R_2 , Y_1 , or Y_2 ; and/or

R₄ taken together with R₃, Y₃, or Y₄; and/or

 R_5 taken together with R_6 , Y_3 , or Y_4 ; and/or

R₆ taken together with R₇, Y₃, or Y₄; and/or

 R_{10} taken together with R_9 or R_{11} ; and/or

 R_{11} taken together with Y_1 , or Y_2 ; and/or

 R_{13} taken together with Y_3 or Y_4 are selected from the group consisting of alkyleno, alkyleno independently substituted with one or more Z_1 , heteroalkyleno, heteroalkyleno independently substituted with one or more Z_1 , aryleno, aryleno independently substituted with one or more Z_1 , heteroaryleno, and heteroaryleno independently substituted with one or more Z_1 ;

 R_8 is selected from the group consisting of –H, alkyl, alkyl independently substituted with one or more Z_1 , heteroalkyl, heteroalkyl independently substituted with one or more Z_1 , aryl independently substituted with one or more Z_1 , heteroaryl, heteroaryl independently substituted with one or more Z_1 , arylalkyl, arylalkyl independently substituted with one or more Z_1 , heteroarylalkyl, and heteroarylalkyl independently substituted with one or more Z_1 ;

 Y_1 , Y_2 , Y_3 , Y_4 when taken alone are <u>independently</u> selected from <u>the group consisting</u> of –H, alkyl, alkyl independently substituted with one or more Z_1 , heteroalkyl, heteroalkyl independently substituted with one or more Z_1 , aryl, aryl independently substituted with one or more Z_1 , heteroaryl, heteroaryl independently substituted with one or more Z_1 , arylalkyl, arylalkyl independently substituted with one or more Z_1 , heteroarylalkyl, and heteroarylalkyl independently substituted with one or more Z_1 ; or

 Y_1 taken together with R_1 , R_{11} or Y_2 ; or

 Y_2 taken together with R_1 , R_{11} or Y_1 ; or

Y₃ taken together with R₄, R₅, R₆, R₁₃ or Y₄; or

 Y_4 taken together with R_4 , R_5 , R_6 , R_{13} or Y_3 are selected from the group consisting of alkyleno, alkyleno independently substituted with one or more Z_1 , heteroalkyleno, heteroalkyleno independently substituted with one or more Z_1 , aryleno, aryleno independently

3

i37574

substituted with one or more Z_1 , heteroaryleno, and heteroaryleno independently substituted with one or more Z_1 ; and

each Z_1 is independently selected from the group consisting of -R, halogen, $-OS(O)_2OR$, $-SO_2OR$, $-SO_2NR$, -S(O)R, $-OP(O)O_2RR$, $-P(O)O_2RR$, $-CO_2R$, $-NR_2$, $-NR_3$, -NC(O)R, -C(O)R, $-C(O)NR_2$, -CN, -O and -OR, wherein R is independently selected from the group consisting of -H, alkyl, heteroalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl and linking group.

47. (Original) The labelled nucleic acid compound of claim 46 wherein

 Y_1 is taken together with R_1 or R_{11} and is C_2 or C_3 alkyleno or alkyleno independently substituted with one or more Z_1 ; or

 Y_2 is taken together with R_1 or R_{11} and is C_2 or C_3 alkyleno or alkyleno independently substituted with one or more Z_1 ; or

 Y_3 is taken together with R_4 or R_5 or R_6 or R_{13} and is C_2 or C_3 alkyleno or alkyleno independently substituted with one or more Z_1 ; or

 Y_4 is taken together with R_4 or R_5 or R_6 or R_{13} and is C_2 or C_3 alkyleno or alkyleno independently substituted with one or more Z_1 .

- 48. (Original) The labelled nucleic acid compound of claim 47 wherein the C_2 or C_3 substituted alkyleno is gem disubstituted with C_1 – C_3 alkyl.
- 49. (Original) The labelled nucleic acid compound of claim 47 wherein the C_2 or C_3 substituted alkyleno is gem disubstituted with methyl.
- 50. (Currently Amended) The labelled nucleic acid compound of claim 46 wherein R₈ is alkyl independently substituted with one or more substituents selected from halogen, -C(O)R, and -S(O)₂R wherein R is independently selected from-OH, O-alkyl, -N+alkyl and a linkage linking group.
 - 51. (Original) The labelled nucleic acid compound of claim 46 wherein R₈ is -CF₃.
- 52. (Original) The labelled nucleic acid compound of claim 46 wherein R_8 is aryl or aryl independently substituted with one or more Z_1 .
- 53. (Currently Amended) The labelled nucleic acid compound of claim 46 wherein R_8 is selected from the structures:

i37574 4

wherein L LG is a linkage linking group.

- 54. (Original) The labelled nucleic acid compound of claim 46 wherein NUC comprises a nucleobase selected from uracil, cytosine, deazaadenine, and deazaguanosine.
 - 55. (Original) The labelled nucleic acid compound of claim 46 having the structure:

$$W_3$$
 O $B-L-D$ W_2 W_1

Bha

wherein B is a nucleobase; W₁ and W₂ taken separately are selected from –H, –OH, and –F; and W₃ is selected from –OH, monophosphate, diphosphate, triphosphate and phosphate analog.

56. (Original) The labelled nucleic acid compound of claim 46 having the structure:

wherein B is a nucleobase.

57. (Original) The labelled nucleic acid compound of claim 46 having the structure:



wherein B is a nucleobase.

58. (Original) The labelled nucleic acid compound of claim 46 having the structure:

wherein B is a nucleobase.

59. (Currently Amended) The labelled nucleic acid compound of claim 46 wherein L is attached to a nucleobase of NUC and to D in to form the structure:

$$\begin{array}{c}
O \\
\parallel \\
NUC-C \equiv C - CH_2 - NH - C - D
\end{array}$$

60. (Currently Amended) The labelled nucleic acid compound of claim 46 wherein L is attached to a nucleobase of NUC and to D in to form the structure:

wherein R₃ is selected from -H and (C₁-C₆) alkyl; and X is selected from the structures:

where n ranges from 1 to 5; ϕ is aryldiyl; and R₁ is selected from –H, (C₁–C₆) alkyl and potential group.

- 61. (Original) The labelled nucleic acid compound of claim 46 wherein L is attached at R_8 of D.
 - 62. (Cancelled)
- 63. (Original) The labelled nucleic acid compound of claim 46 wherein NUC is a polynucleotide and L is attached to the polynucleotide at a position selected from the 5' terminus, the phosphodiester backbone, a nucleobase, and the 3' terminus.
- 64. (Currently Amended) The labelled nucleic acid compound of claim 63 wherein L is comprises an aminohexyl linkage linking group, NUC is a polynucleotide and L is attached to the polynucleotide at the 5' terminus.

i37574